



This MotoCAP safety rating applies to:

Brand Draggin
Model Holeshot
Type Pants - Denim
Date purchased 20 October 2020
Sizes tested 32 and 36
Test garment gender Male

Style All Purpose RRP \$450.00

Test Results SummaryRatingScoreMotoCAP Protection Rating★★★69.5Abrasion10/1010.00

Burst	10/10	1100
Impact	4/10	28.2
MotoCAP Breathability Rating	**	0.391
Moisture Vapour Resistance	-	39.6
Thermal Resistance	-	0.257

N/A


N/A

This garment is fitted with impact protectors for the knees and hips. Replacing the knee and hip armour with higher performing impact protectors would improve the protection levels of this garment. There are no vents to allow airflow movement through the garment.

Water resistance

Jacket and Pants - Crash Impact Risk Zones

This diagram is a pictorial representation of the crash impact risk Zones.





Abrasion Resistance

These pants were tested for abrasion resistance in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely abrasion performance of the materials in each zone calculated from the data in the table below. The colour coding is based on the worst performing material in each zone.



Abrasion Resistance Performance

Abrasion rating 10/10 Abrasion score 10.00

Determining Criteria	Area	Good	Acceptable	Marginal	Poor
High abrasion risk	Zones 1 & 2	> 5.6	3.0 - 5.6	1.3 - 2.9	< 1.3
Medium abrasion risk	Zone 3	> 2.5	1.8 - 2.5	0.8 - 1.7	< 0.8
Low abrasion risk	Zone 4	>1.5	1.0 - 1.5	0.4 - 0.9	< 0.4

Individual Abrasion Resistance Results: - The table below shows the test results for time to abrade through all layers of the materials. Calculated for each sample by Zone, type and area coverage of each material as a proportion of that Zone. Abrasion times are capped at a maximum of 10.00s.

Abrasion time for each test (seconds)

ADIASION UNIC	ioi eacii test (sec	onusj							
Zones 1 & 2	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Material A	100%	10.00	10.00	10.00	10.00	10.00	10.00	10.00	G
Zone 3	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Material A	100%	10.00	10.00	10.00	10.00	10.00	10.00	10.00	G
Zone 4	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Material A	100%	10.00	10.00	10.00	10.00	10.00	10.00	10.00	G

Details of materials used in jacket

Material A Denim fabric shell, para-aramid fabric layer and mesh inner liner



Burst Strength

These pants were tested for burst strength in accordance with MotoCAP test protocols. The diagram below illustrates the burst strength results in terms of the likely performance of the garment in an impact and is a pictorial representation of the data from the table below.



Burst Strength Performance

Burst rating	10/10
Burst score	1100

Determining Criteria	Unit	Good	Acceptable	Marginal	Poor
Burst strength	(kPa)	> 1000	800 - 1000	500 - 799	< 500

Individual Burst Strength Results: - The table below shows the burst pressure in kilopascals (kPA) for each sample tested by Zone and the average result for each zone.

Burst pressure for each seam (kPA)

Area	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Zones 1 & 2	1297	1171	1267	1241	1171	530.5	1113 G	
Zones 3 & 4	277	1148	1180	1001	1398	1296	1050 G	



Impact Protection

These pants were tested for impact protection and coverage in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely performance of each impact protector calculated from the data in the table below. The colour coding is based on the worst performing score for average or maximium force for each impact zone. Areas shaded black are not considered for impact protection ratings.



Impact Protection Performance
Impact rating 4/10
Impact score 28.2

Determining Criteria	Unit	Good	Acceptable	Marginal	Poor*
Impact force	(kN)	< 15	15 - 24	25 - 30	> 30

^{*} Poor may also indicate that no impact protector, or impact protector pocket is present in the garment

Impact Protector Results: - The table below shows the average and maximum force transmitted through each impact protector type in kilonewtons (kN) and their area of coverage as a proportion (%) of the Zone.

Impact protector type	Knee			Hip	
Average force (kN)	24.5	A	_	14.2	G
Maximum force (kN)	27.8	M		27.6	M
Coverage of Zone 1 area	105%	<u> </u>		70%	
Coverage of Zone after displacement	70%			70%	

Individual Impact Protector Results: - The table below shows the test results for each strike on individual impact protectors in kilonewtons (kN) and the position of the strike. Individual strike results are capped at a maximum of 50kN.

Force transfer for each impact strike (kN)

Impact protector type	Knee			Hip		
Strike location	Centre	Mid	Edge	Centre	Mid	Edge
Impact Protector 1	22.8	23.6	27.8	9.2	9.8	12.3
Impact Protector 2	23.8	20.0	26.0	9.4	13.5	26.0
Impact Protector 3	23.9	24.9	27.6	10.1	9.8	27.6



Breathability

These pants were tested for breathability following the MotoCAP test protocols. The table below shows the moisture vapour resistance and the thermal resistance values obtained.

Without removable li	ners	With	With water-resistant liner				
Breathability rating	Breathability rating N						
Breathability score 0.391		Breat	N/A				
Moisture Vapour Resist	tance - R _{et} (kPa.m²/W)	1	2	Average			
Without removable liners		39.1	40.0	39.6			
With water-resistant liner		N/A	N/A	N/A			
Thermal Resistance - R	ct (K.m²/W)	1	2	Average			
Without removable liners		0.256	0.259	0.257			
With water-resistant liner		N/A	N/A	N/A			

Water spray and rain resistance

This pants have not been advertised as water-resistant so has not been tested for water spray and rain resistance.

Assessment Details.

Brand Draggin

Model Holeshot

Type Pants - Denim

Date purchased 20 October 2020

Tested by AMCAF, Deakin University

Garment test reference P20D01
Rating first published March 2021
Rating updated 4 March 2021