

MOTOCAP

# This MotoCAP safety rating applies to:


Brand	Bull-It
Model	Tactical Elara Slim women's
Туре	Pants-Denim
Date purchased	22 November 2023
Sizes tested	12 and 14
Test garment gender	Female
Style	All Purpose
RRP	\$199.95

Test Results Summary	Rating	Score
MotoCAP Protection Rating	**	31.3
Abrasion	1/10	1.12
Burst	8/10	899
Impact	8/10	55.8
MotoCAP Breathability Rating	****	0.531
Moisture Vapour Resistance	-	20.5
Thermal Resistance	-	0.181
Water resistance	N/A	N/A

This garment is fitted with impact protectors for the knees and hips. There are no vents to allow airflow movement through the garment. There is the potential for burns from heat transferred through the fly button and pocket studs of the pants during a slide.

## Jacket and Pants - Crash Impact Risk Zones

This diagram is a pictorial representation of the crash impact risk Zones.



Bull-It Tactical Elara Slim Womens Grey Denim Pants



### **Abrasion Resistance**

These pants were tested for abrasion resistance in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely abrasion performance of the materials in each zone calculated from the data in the table below. The colour coding is based on the worst performing material in each zone.



Abrasion Resistance Performance

Abrasion rating	1/10
Abrasion score	1.12

<b>Determining Criteria</b>	Area	Good	Acceptable	Marginal	Poor
High abrasion risk	Zones 1 & 2	> 5.6	3.0 - 5.6	1.3 - 2.9	< 1.3
Medium abrasion risk	Zone 3	> 2.5	1.8 - 2.5	0.8 - 1.7	< 0.8
Low abrasion risk	Zone 4	>1.5	1.0 - 1.5	0.4 - 0.9	< 0.4

**Individual Abrasion Resistance Results:** - The table below shows the test results for time to abrade through all layers of the materials. Calculated for each sample by Zone, type and area coverage of each material as a proportion of that Zone. Abrasion times are capped at a maximum of 10.00s.

## Abrasion time for each test (seconds)

Zones 1 & 2	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average
Material A	40%	2.55	3.19	2.07	3.05	1.76	2.15	2.46 M
Material C	60%	2.11	1.43	0.97	1.53	1.30	0.94	1.38 M
Zone 3	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average
Material B	30%	1.44	1.13	2.06	0.95	1.06	1.18	1.30 M
Material C	70%	2.11	1.43	0.97	1.53	1.30	0.94	1.38 M
Zone 4	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average
Material B	30%	1.44	1.13	2.06	0.95	1.06	1.18	1.30 A
Material C	70%	2.11	1.43	0.97	1.53	1.30	0.94	1.38 <mark>A</mark>

#### Details of materials used in pant

- Material ADenim fabric shell, knitted fabric layer and mesh inner linerMaterial BDenim fabric shell with mesh inner linerMaterial CDenim fabric shell



## **Burst Strength**

These pants were tested for burst strength in accordance with MotoCAP test protocols. The diagram below illustrates the burst strength results in terms of the likely performance of the garment in an impact and is a pictorial representation of the data from the table below.



Burst Strength Performance			
Burst rating	8/10		
Burst score	899		

Determining Criteria	Unit	Good	Acceptable	Marginal	Poor
Burst strength	(kPa)	> 1000	800 - 1000	500 - 799	< 500

**Individual Burst Strength Results:** - The table below shows the burst pressure in kilopascals (kPA) for each sample tested by Zone and the average result for each zone.


#### Burst pressure for each seam (kPA)

Area	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Zones 1 & 2	639	956	945	985	912	898	889	Α
Zones 3 & 4	917	946	922	1018	933	888	937	Α



### **Impact Protection**

These pants were tested for impact protection and coverage in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely performance of each impact protector calculated from the data in the table below. The colour coding is based on the worst performing score for average or maximum force for each impact zone. Areas shaded black are not considered for impact protection ratings.



\* Poor may also indicate that no impact protector, or impact protector pocket is present in the garment

**Impact Protector Results:** - The table below shows the average and maximum force transmitted through each impact protector type in kilonewtons (kN) and their area of coverage as a proportion (%) of the Zone.

Impact protector type	Knee		Нір
Average force (kN)	6.6	G	14.2 G
Maximum force (kN)	9.4	G	19.5 A
Coverage of Zone 1 area	95%		130%
Coverage of Zone after displacement	60%		100%

**Individual Impact Protector Results:** - The table below shows the test results for each strike on individual impact protectors in kilonewtons (kN) and the position of the strike. Individual strike results are capped at a maximum of 50kN.

#### Force transfer for each impact strike (kN)

Impact protector type	Knee			Нір		
Strike location	Centre	Mid	Edge	Centre	Mid	Edge
Impact Protector 1	5.2	5.7	8.7	11.3	12.1	19.5
Impact Protector 2	5.1	5.9	9.4	11.8	12.4	18.3
Impact Protector 3	5.3	7.1	7.2	12.1	13.4	17.0



### Breathability

These pants were tested for breathability following the MotoCAP test protocols. The table below shows the moisture vapour resistance and the thermal resistance values obtained.

Without removable liners		With	n water-resist	ant liner
Breathability rating	****	Breat	thability rating	N/A
Breathability score	0.531	Breat	thability score	N/A
Moisture Vapour Resi	stance - R <sub>et</sub> (kPa.m²/W)	1	2	Average
Without removable line	rs	20.5	20.5	20.5
With water-resistant line	er	N/A	N/A	N/A
Thermal Resistance -	R <sub>ct</sub> (K.m²/W)	1	2	Average
Without removable line	rs	0.182	0.181	0.181
With water-resistant line	er	N/A	N/A	N/A

## Water spray and rain resistance

This pants have not been advertised as water-resistant so has not been tested for water spray and rain resistance.

# **Assessment Details.**

Brand	Bull-It
Model	Tactical Elara Slim women's
Туре	Pants-Denim
Date purchased	22 November 2023
Tested by	AMCAF, Deakin University
Report approved by	MotoCAP Chief Scientist
Garment test reference	P24D08
Rating first published	February 2024
Rating updated	12 February 2024